

Application No.: 10/028,541
 First Inventor: Richard Joseph Cabellero
 Filing Date: December 19, 2001
 Title: USER INTERFACE FOR A COMPLEX ORDER PROCESSING SYSTEM
 REPLACEMENT SHEET

18/73

936

More Info		Agreements		Attachments		Bill To		Ship To		Line Item		Line Item (SAP)		Orders		Terms & Totals		Charts	
<input type="button" value="New"/>	<input type="button" value="Save"/>	<input type="button" value="Reprice"/>	<input type="button" value="Reprice All"/>	<input type="button" value="Delta Quote"/>	<input type="checkbox"/>														
Sequence	Qty	△	Item		Start Price	△	Net Price	△	Extended Price	UoM		Service ID		Service Point ID		Action			
1	10		California Wireless		150.00		150.00		1500.00	Each				12-481IDJ39					
2	1		Call Waiting		3.00		3.00		30.00	Per Month	273498201				Update				
3	1		Nokia 8009		160.00		160.00		160.00	Each				Add					
4	1		Hands Free Accessin		25.00		0.00		0.00	Each				Delete					

| |

Item Total MRC:	150.00	▼	Item Total NRC:		Comments:
Total Item Discount MRC:	100.00	▼	Total Item Discount NRC:		Description of pricing, discounts and adjustments for both MRC and NRC.
Net Total MRC:	50.00	▼	Net Total NRC:		
Adjustment MRC:	0	▼	Adjustment NRC:		

FIG. 9D-2

Application No.: 10/028,541
First Inventor: Richard Joseph Cabellero
Filing Date: December 19, 2001
Title: USER INTERFACE FOR A COMPLEX ORDER PROCESSING SYSTEM
REPLACEMENT SHEET

19/73

936

More Info		Agreements		Attachments		Bill To/Ship To																																																																						
<input type="button" value="New"/>	<input type="button" value="Save"/>	<input type="button" value="Reprice"/>	<input type="button" value="Reprice All"/>	<input type="button" value="Delta Quote"/>	<input type="button" value="Customize"/>	<input type="button" value="Sum components"/>	<input type="button" value="Service"/>	<input type="button" value="Renumber"/>	<input type="button" value="Profile"/>	<input type="button" value="Ungroup"/>	<input type="button" value="Print"/>	<input type="button" value="Chart"/>																																																																
<table border="1"> <tr> <td>Sequence</td> <td>Qty ▲</td> <td>Item</td> <td>Start Price ▾</td> <td>Net Price</td> <td>Extended Price</td> <td>UoM</td> <td>Service ID</td> <td>Service Point ID</td> <td>Action</td> <td colspan="3"></td> </tr> <tr> <td>1</td> <td>10</td> <td>California Wireless</td> <td>150.00</td> <td>150.00</td> <td>1500.00</td> <td>Each</td> <td></td> <td></td> <td>12-48101339</td> <td colspan="3"></td> </tr> <tr> <td>2</td> <td>1</td> <td>Call Waiting</td> <td>3.00</td> <td>3.00</td> <td>30.00</td> <td>Per Month</td> <td>273498201</td> <td></td> <td>Update</td> <td colspan="3"></td> </tr> <tr> <td>3</td> <td>1</td> <td>Nokia 8009</td> <td>160.00</td> <td>160.00</td> <td>160.00</td> <td>Each</td> <td></td> <td></td> <td>Add</td> <td colspan="3"></td> </tr> <tr> <td>4</td> <td>1</td> <td>Hands Free Accessori</td> <td>25.00</td> <td>0.00</td> <td>0.00</td> <td>Each</td> <td></td> <td></td> <td>Delete</td> <td colspan="3"></td> </tr> </table>												Sequence	Qty ▲	Item	Start Price ▾	Net Price	Extended Price	UoM	Service ID	Service Point ID	Action				1	10	California Wireless	150.00	150.00	1500.00	Each			12-48101339				2	1	Call Waiting	3.00	3.00	30.00	Per Month	273498201		Update				3	1	Nokia 8009	160.00	160.00	160.00	Each			Add				4	1	Hands Free Accessori	25.00	0.00	0.00	Each			Delete			
Sequence	Qty ▲	Item	Start Price ▾	Net Price	Extended Price	UoM	Service ID	Service Point ID	Action																																																																			
1	10	California Wireless	150.00	150.00	1500.00	Each			12-48101339																																																																			
2	1	Call Waiting	3.00	3.00	30.00	Per Month	273498201		Update																																																																			
3	1	Nokia 8009	160.00	160.00	160.00	Each			Add																																																																			
4	1	Hands Free Accessori	25.00	0.00	0.00	Each			Delete																																																																			
<input type="button" value="Totals"/> <input type="button" value="Line Item Detail"/> <input type="button" value="Attributes"/> <input type="button" value="Deals"/>																																																																												
<input type="button" value="Save"/>	<input type="button" value="Cancel"/>	<input type="button" value="Print"/>	<input type="button" value="Delete"/>	1 of 5																																																																								

Product:	Service Account:	Start Price:	UoM:
California Wireless 600 ...	A.K. Parker (Service)	89.99	
Service ID:	Billing Account:	Disc %:	Comment
	A.K. Parker (Billing)	10	<input type="button" value="▼"/>
Service Point ID:	Agreement Name:	Disc Amount:	<input type="button" value="▼"/>
	Test Agreement	Disc Price:	<input type="button" value="▼"/>
Action:	Qty:		
Add	10		<input type="button" value="▼"/>
Package:	Write-In Product:	<input type="checkbox"/> Keep Discount:	Product
Service:	Attributes:	Current Discount:	Part #:
<input checked="" type="checkbox"/>	Covered Product:	<input type="button" value="▼"/>	Upsell:
Service Asset#:	...	<input type="button" value="▼"/>	

FIG. 9D-3

Application No.: 10/028,541
 First Inventor: Richard Joseph Cabellero
 Filing Date: December 19, 2001
 Title: USER INTERFACE FOR A COMPLEX ORDER PROCESSING SYSTEM
 REPLACEMENT SHEET

21/73

FIG. 9E

938

<input style="font-size: small; border: none; padding-right: 5px;" type="button" value="Sales Order"/> <input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="New"/> <input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Save"/> <input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Revised"/> <input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Submit"/>		<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="1 of 7"/>																																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%; padding: 5px;">* Order #:</td> <td style="width: 15%; padding: 5px;">A.K. Parker</td> <td style="width: 15%; padding: 5px;">Description:</td> <td style="width: 15%; padding: 5px;">Opportunity.</td> </tr> <tr> <td style="padding: 5px;">Site:</td> <td style="padding: 5px;">Santa Clara</td> <td style="padding: 5px;">Description for the Sales Order.</td> <td style="padding: 5px;">Service Warranties for Pe</td> </tr> <tr> <td style="padding: 5px;">Type:</td> <td style="padding: 5px;">Sales Order</td> <td style="padding: 5px;">Team:</td> <td style="padding: 5px;">Quote #:</td> </tr> <tr> <td style="padding: 5px;">Priority:</td> <td style="padding: 5px;">Medium</td> <td style="padding: 5px;">Last Name:</td> <td style="padding: 5px;">SR#:</td> </tr> <tr> <td style="padding: 5px;">* Status:</td> <td style="padding: 5px;">Open</td> <td style="padding: 5px;">Opperman</td> <td style="padding: 5px;">38-J637MEBX</td> </tr> <tr> <td style="padding: 5px;">Revision:</td> <td style="padding: 5px;">1</td> <td style="padding: 5px;">First Name:</td> <td style="padding: 5px;">Agreement Name:</td> </tr> <tr> <td></td> <td></td> <td style="padding: 5px;">Giles</td> <td style="padding: 5px;">Test Agreement</td> </tr> <tr> <td></td> <td></td> <td style="padding: 5px;">Service Account:</td> <td style="padding: 5px;">* Currency:</td> </tr> <tr> <td></td> <td></td> <td style="padding: 5px;">A.K. Parker (Service)</td> <td style="padding: 5px;">USD</td> </tr> <tr> <td></td> <td></td> <td style="padding: 5px;">Billing Account:</td> <td style="padding: 5px;">...</td> </tr> <tr> <td></td> <td></td> <td style="padding: 5px;">A.K. Parker (Billing)</td> <td style="padding: 5px;">...</td> </tr> </table>				* Order #:	A.K. Parker	Description:	Opportunity.	Site:	Santa Clara	Description for the Sales Order.	Service Warranties for Pe	Type:	Sales Order	Team:	Quote #:	Priority:	Medium	Last Name:	SR#:	* Status:	Open	Opperman	38-J637MEBX	Revision:	1	First Name:	Agreement Name:			Giles	Test Agreement			Service Account:	* Currency:			A.K. Parker (Service)	USD			Billing Account:	...			A.K. Parker (Billing)	...
* Order #:	A.K. Parker	Description:	Opportunity.																																												
Site:	Santa Clara	Description for the Sales Order.	Service Warranties for Pe																																												
Type:	Sales Order	Team:	Quote #:																																												
Priority:	Medium	Last Name:	SR#:																																												
* Status:	Open	Opperman	38-J637MEBX																																												
Revision:	1	First Name:	Agreement Name:																																												
		Giles	Test Agreement																																												
		Service Account:	* Currency:																																												
		A.K. Parker (Service)	USD																																												
		Billing Account:	...																																												
		A.K. Parker (Billing)	...																																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="More Info"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Terms"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Payment"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Attachments"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Chats"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 10.7"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items (SAP ERP)"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 11"/></td> <td style="width: 15%; padding: 5px;">Line Item</td> </tr> <tr> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="New"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Save"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Customize"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Reprice"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Disconnect"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Auto-Asset"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="1-1 of 1"/></td> <td colspan="4"></td> </tr> </table>				<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="More Info"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Terms"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Payment"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Attachments"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Chats"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 10.7"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items (SAP ERP)"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 11"/>	Line Item	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="New"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Save"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Customize"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Reprice"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Disconnect"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Auto-Asset"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="1-1 of 1"/>																											
<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="More Info"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Terms"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Payment"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Attachments"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Chats"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 10.7"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items (SAP ERP)"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 11"/>	Line Item																																						
<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="New"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Save"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Customize"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Reprice"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Disconnect"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Auto-Asset"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="1-1 of 1"/>																																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%; padding: 5px;">Sequence</td> <td style="width: 15%; padding: 5px;">Qty</td> <td style="width: 15%; padding: 5px;">Item</td> <td style="width: 15%; padding: 5px;">Start Price</td> <td style="width: 15%; padding: 5px;">Net Price</td> <td style="width: 15%; padding: 5px;">Extended Price</td> <td style="width: 15%; padding: 5px;">UoM</td> <td style="width: 15%; padding: 5px;">Service ID</td> <td style="width: 15%; padding: 5px;">Status</td> <td style="width: 15%; padding: 5px;">Action</td> <td style="width: 15%; padding: 5px;">Service Account</td> <td style="width: 15%; padding: 5px;">Billing Account</td> <td style="width: 15%; padding: 5px;">Ag</td> </tr> <tr> <td style="padding: 5px;">1</td> <td style="padding: 5px;">1</td> <td style="padding: 5px;">California Wireless</td> <td style="padding: 5px;">50.00</td> <td style="padding: 5px;">50.00</td> <td style="padding: 5px;">50.00</td> <td style="padding: 5px;">Each</td> <td style="padding: 5px;">Pending</td> <td style="padding: 5px;">Update</td> <td style="padding: 5px;">A.K. Parker (Service)</td> <td style="padding: 5px;">A.K. Parker (Billing)</td> <td style="padding: 5px;">Tes</td> </tr> </table>	Sequence	Qty	Item	Start Price	Net Price	Extended Price	UoM	Service ID	Status	Action	Service Account	Billing Account	Ag	1	1	California Wireless	50.00	50.00	50.00	Each	Pending	Update	A.K. Parker (Service)	A.K. Parker (Billing)	Tes	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="More Info"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Terms"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Payment"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Attachments"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Chats"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 10.7"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items (SAP ERP)"/></td> <td style="width: 15%; padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 11"/></td> <td style="width: 15%; padding: 5px;">Line Item</td> </tr> <tr> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="New"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Save"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Customize"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Reprice"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Disconnect"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Auto-Asset"/></td> <td style="padding: 5px;"><input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="1-1 of 1"/></td> <td colspan="4"></td> </tr> </table>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="More Info"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Terms"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Payment"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Attachments"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Chats"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 10.7"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items (SAP ERP)"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 11"/>	Line Item	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="New"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Save"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Customize"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Reprice"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Disconnect"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Auto-Asset"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="1-1 of 1"/>				
Sequence	Qty	Item	Start Price	Net Price	Extended Price	UoM	Service ID	Status	Action	Service Account	Billing Account	Ag																																			
1	1	California Wireless	50.00	50.00	50.00	Each	Pending	Update	A.K. Parker (Service)	A.K. Parker (Billing)	Tes																																				
<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="More Info"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Terms"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Payment"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Attachments"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Chats"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 10.7"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Line Items (SAP ERP)"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Back Office (Oracle) 11"/>	Line Item																																						
<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="New"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Save"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Customize"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Reprice"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Disconnect"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="Auto-Asset"/>	<input style="font-size: small; border: none; border-left: 1px solid black; border-right: 1px solid black; padding-right: 5px;" type="button" value="1-1 of 1"/>																																									

24/73




FIG. 10B-2




FIG. 10C-1

28/73




FIG. 10E




FIG. 10F




FIG. 10G





FIG. 10L






FIG. 10M-B




FIG. 10M
Key To

FIG. 10M-C

FIG. 10M-A

FIG. 10M-B

FIG. 10M-C